

Life Cycle Assessment: Results

The following supplementary LCA results are to be read alongside the complete ROCKWOOL® Environmental Product Declaration, attached.

ROCKWOOL® stone wool product:

ROCKLAP H&V Section

1 linear metre of product, The results are for: Inner diameter of pipe section:

with a thickness of 40 mm.

169 mm

Limitations

Conservative choices are made in the LCA as described in the ROCKWOOL® Group LCA rules. Therefore, the results can be considered to be conservative and worst case.

Description of the system boundaries (x=included, MNA = Module not assessed)

	-						`								-
Pro	duct st	age	Constr instal sta	lation		Use stage						End-of-life stage			
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal
A1	A2	А3	A4	A5	B1	B2	В3	B4	B5	B6	B7	C1	C2	C3	C4
Х	Х	х	Х	Х	Х	MNA	MNA	MNA	MNA	MNA	MNA	х	Х	Х	Х

-		em	-					
		oad						
		onc						
		/ste						
bo	oun	dar	ie					
	•	2						
Rense-	Recovery-	Recycling-	potential					
D								
	х							

Environmental impact

Parameter	Unit	A1-3	A4	A 5	B1	C2	C4	D
Global warming	kg CO ₂ eqv	3.4E+00	6.0E-01	6.1E-01	0	1.1E-02	4.5E-02	-1.5E-01
The global warming p unit of that			al contribution to ference gas, carbo					
	ozone is caused	by the breakdov	9.8E-17 In shields the earth wn of certain chlo then they reach the molecules.	rine and/or bro	omine co	ntaining comp	ounds	-8.4E-15
Acidification Acid depositions have sources for emission		ıbstances are ag		il fuel combust				-5.0E-04
Eutrophication	kg PO ₄ ³⁻ eqv	3.0E-03	9.6E-05	1.2E-04	0	2.6E-06	3.2E-05	-6.9E-05
Excessive enrichme	ent of waters and	continental sur	faces with nutrier	nts, and the ass	ociated a	dverse biologi	cal effects.	
Photochemical ozone creation	kg Ethene eqv	7.7E-04	-2.0E-06	3.2E-05	3.3E-10	-1.3E-06	2.2E-05	-5.7E-05
Chemical reactions be	,	0 0.	of the sun. The re one is an example		•	•	arbons in the	
Depletion abiotic resources -elements	kg Sb eqv	1.2E-05	5.0E-08	1.2E-08	0	8.6E-10	1.7E-08	-3.4E-08
Depletion abiotic resources fuels	MJ	4.2E+01	8.2E+00	1.1E+00	0	1.5E-01	6.3E-01	-3.7E+00
Consumpt	ion of non-renew	able resources,	thereby lowering	their availabili	ty for fut	ure generation	ıs.	



Resource use

Parameter	Unit	A1-3	A4	A5	B1	C2	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	1.3E+01	4.6E+00	5.6E+00	0	8.3E-03	8.3E-02	-2.1E+00
Use of renewable primary energy resources used as raw materials	MJ	6.8E+00	0.0E+00	-5.2E+00	0	0.0E+00	0.0E+00	0.0E+00
Total use of renewable primary energy resources	MJ	2.0E+01	4.6E-01	4.0E-01	0	8.4E-03	8.3E-02	-2.1E+00
Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials	MJ	3.8E+01	8.1E+00	1.2E+00	0	1.5E-01	6.5E-01	-3.9E+00
Use of non-renewable primary energy resources used as raw materials	MJ	6.5E+00	0.0E+00	-2.0E-02	0	0.0E+00	0.0E+00	0.0E+00
Total use of non-renewable primary energy resources	MJ	4.5E+01	8.2E+00	1.2E+00	0	1.5E-01	6.5E-01	-3.9E+00
Use of secondary materials	kg	0.0E+00	n/a	0.0E+00	n/a	n/a	n/a	n/a
Use of renewable secondary fuels	MJ	*	*	*	*	*	*	*
Use of non-renewable secondary fuels	MJ	*	*	*	*	*	*	*
Net use of fresh water	m^3	1.6E-02	5.3E-04	1.5E-03	0	8.9E-06	1.6E-04	-1.4E-03

^{*} There are no renewable and no non-renewable secondary fuels used in A3. The minor use of secondary fuels as part of the background datasets is not accounted for.

Waste categories

Parameter	Unit	A1-3	A4	A5	B1	C2	C4	D
Hazardous waste disposed	kg	4.6E-06	3.8E-07	2.5E-08	0	1.4E-08	2.1E-08	-6.8E-09
Non-hazardous waste disposed	kg	2.6E-01	1.3E-03	8.9E-02	0	2.3E-05	3.2E+00	-1.0E-02
Radioactive waste disposed*	kg	8.7E-04	1.0E-05	2.5E-05	0	1.8E-07	7.5E-06	-5.5E-06

^{*} There is never radioactive waste from a ROCKWOOL plant (A3), but there might be small amounts associated with the secondary LCI datasets used for the upstream chain (A1 & A2), which are taken into account here.

Output flows

Parameter	Unit	A1-3	A4	A5	B1	C2	C4	D
Component for re-use	kg	8.43E-07	n/a	2.51E-08	n/a	n/a	n/a	n/a
Materials for recycling	kg	1.48E-01	n/a	n/a	n/a	n/a	n/a	n/a
Materials for energy recovery	kg	1.70E-04	n/a	n/a	n/a	n/a	n/a	n/a

Exported energy MJ n/a n/a n/a n/a n/a n/a

ROCKWOOL FIRESAFE INSULATION

CREATE AND PROTECT®





