

# Life Cycle Assessment: Results

The following supplementary LCA results are to be read alongside the complete ROCKWOOL® Environmental Product Declaration, attached.

ROCKWOOL® stone wool product: Soffit Slab

The results are for: 1 m2 of product, with a thickness of 160 mm.

Thermal resistance as stated in product data sheet.

#### Limitations

Conservative choices are made in the LCA as described in the ROCKWOOL® Group LCA rules. Therefore, the results can be considered to be conservative and worst case.

#### Description of the system boundaries (x=included, MNA = Module not assessed)

Pro	duct st	age	Constr instal sta	lation			l	Jse stage	Э			End-of-life stage			and loads beyond the system boundarie	
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse- Recovery- Recycling- potential
A1	A2	А3	A4	A5	B1	B2	В3	B4	B5	B6	B7	C1	C2	C3	C4	D
Х	х	Х	Х	х	Х	MNA	MNA	MNA	MNA	MNA	MNA	Х	х	Х	х	х

**Environmental impact** 

Parameter	Unit	A1-3	A4	<b>A</b> 5	B1	C2	C4	D
Global warming	kg CO <sub>2</sub> eqv	1.4E+01	3.0E+00	3.1E+00	0	5.1E-02	2.1E-01	-7.6E-0
The global warming punit of that			tal contribution to eference gas, carbo					
	f ozone is caused	by the breakdo	5.0E-16 h shields the earth wn of certain chlo hen they reach the molecules.	rine and/or bro	omine co	ntaining comp	ounds	-4.2E-14
Acidification  Acid depositions ha  sources for emissio		ubstances are ag	2.4E-03 cosystems and the	il fuel combust		•	•	-2.5E-03
Eutrophication  Excessive enrichm	kg PO <sub>4</sub> <sup>3-</sup> eqv ent of waters and	1.4E-02	4.9E-04	5.9E-04	0 ociated a	9.6E-06 adverse biolog	1.5E-04 ical effects.	-3.5E-04
Photochemical ozone creation Chemical reactions b	,		-1.0E-05 of the sun. The re		_	•	1.0E-04 carbons in the	-2.9E-04
Depletion abiotic resources -elements	kg Sb eqv	1.5E-05	2.5E-07	6.3E-08	0	4.2E-09	8.2E-08	-1.7E-07
Depletion abiotic resources fuels	MJ	1.6E+02	4.1E+01	5.5E+00	0	7.0E-01	3.0E+00	-1.9E+0
Consump	tion of non-renew	able resources,	thereby lowering	their availabili	ty for fut	ture generatio	ns.	



#### Resource use

Parameter	Unit	A1-3	<b>A</b> 4	<b>A</b> 5	B1	C2	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	5.4E+01	2.3E+01	2.9E+01	0	3.9E-02	4.1E-01	-1.0E+01
Use of renewable primary energy resources used as raw materials	MJ	3.5E+01	0.0E+00	-2.6E+01	0	0.0E+00	0.0E+00	0.0E+00
Total use of renewable primary energy resources	MJ	8.9E+01	2.3E+00	2.0E+00	0	3.9E-02	4.1E-01	-1.0E+01
Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials	MJ	1.5E+02	4.1E+01	6.0E+00	0	7.0E-01	3.1E+00	-2.0E+01
Use of non-renewable primary energy resources used as raw materials	MJ	2.2E+01	0.0E+00	-1.0E-01	0	0.0E+00	0.0E+00	0.0E+00
Total use of non-renewable primary energy resources	MJ	1.7E+02	4.1E+01	5.9E+00	0	7.0E-01	3.1E+00	-2.0E+01
Use of secondary materials	kg	0.0E+00	n/a	0.0E+00	n/a	n/a	n/a	n/a
Use of renewable secondary fuels	MJ	*	*	*	*	*	*	*
Use of non-renewable secondary fuels	MJ	*	*	*	*	*	*	*
Net use of fresh water	$m^3$	5.3E-02	2.7E-03	7.6E-03	0	4.5E-05	7.8E-04	-6.9E-03

<sup>\*</sup> There are no renewable and no non-renewable secondary fuels used in A3. The minor use of secondary fuels as part of the background datasets is not accounted for.

## Waste categories

Parameter	Unit	A1-3	<b>A</b> 4	<b>A</b> 5	B1	C2	C4	D
Hazardous waste disposed	kg	5.8E-06	1.9E-06	1.3E-07	0	3.6E-08	5.4E-08	-3.5E-08
Non-hazardous waste disposed	kg	7.7E-01	6.4E-03	4.5E-01	0	1.1E-04	1.6E+01	-5.1E-02
Radioactive waste disposed*	kg	1.0E-03	5.1E-05	1.3E-04	0	8.7E-07	3.5E-05	-2.8E-05

<sup>\*</sup> There is never radioactive waste from a ROCKWOOL plant (A3), but there might be small amounts associated with the secondary LCI datasets used for the upstream chain (A1 & A2), which are taken into account here.

### **Output flows**

Catpat nowo								
Parameter	Unit	A1-3	<b>A</b> 4	A5	B1	C2	C4	D
Component for re-use	kg	4.28E-06	n/a	1.27E-07	n/a	n/a	n/a	n/a
Materials for recycling	kg	7.54E-01	n/a	n/a	n/a	n/a	n/a	n/a
Materials for energy recovery	kg	8.64E-04	n/a	n/a	n/a	n/a	n/a	n/a
Exported energy	MJ	n/a	n/a	n/a	n/a	n/a	n/a	n/a